



Optical Fiber Diameter Analyser (OFDA100) Micron Test Report

Kathryn Rose Farm
6492 Airlie Rd, Warrenton
VA 20187, US

Date: 12-Jun-24
Shear ID: 262694
Test No: 618651


Animal and Sample Description

Animal Name: CCAP's THE ANSWER MAN
Registry #: 35561613
Breed: Huacaya
Sex: Male
Colour: 202 - Light Fawn

Date of Birth (Age): 12-Nov-18
Sample Location: GRID
Sample Date: 12-Apr-24
Previous Shear Date: 8-Apr-23
Total Fleece Wt (lbs):

Laboratory Data

Mean Fiber Diameter:	21.7 microns	Mean Staple Length:	90 mm
Standard Deviation:	4.4 microns	Length Standard Deviation:	1.4 mm
Coefficient of Variation:	20.2 %	Length Coefficient of Variation:	1.5 %
Spin Fineness:	21.0 microns	Mean Curvature:	52.1 deg/mm
Fibers Greater Than 30 microns:	3.6 %	SD Curvature:	42.0 deg/mm
Comfort Factor:	96.4 %	Medullated Fibers:	6.4 %



Test Performed According to Method AS/NZS 4492.5:2000

Jeremy Wear
Business Manager

Ioasa Kosena
Authorised Signatory

[SGS General Terms and Conditions](#)

The validity of this document may be confirmed by contacting the address shown below

SGS NZ LTD - 48 Kemp Street, Kilmorie 6022, Wellington, New Zealand. Tel: 64-4-387 8565 Email: WoolOnline@sgs.com Web: www.wooltesting.sgs.com